



Inspection Report

Glaxo Smith Kline
709 Swedeland Road, P.O. Box 1539
King Of Prussia, PA 19406

Customer ID: **286**
Certificate: **23-R-0012**
Site: 001
GLAXO SMITH KLINE

Type: ROUTINE INSPECTION
Date: Jun-14-2016

3.80 (a) (2) (ii)

PRIMARY ENCLOSURES.

Item Primary Enclosures 3.80 a 2 ii

In June of 2016 most likely during the night of the 8th or early morning of the 9th a non human primate was able to unlock the mechanism that holds the squeeze back portion of the cage in place. With the mechanism unlocked the primate was able to move the back panel forward thus creating a space between the side wall of the cage and the opening for the automatic watering device. At this time the primate was able to get her head caught in this space and was found dead the following morning by husbandry staff.

Facility has started adding additional locking measures immediately and is also looking at other measures to prevent any reoccurrences.

Facility needs to continue its monitoring of its cages to prevent further injury

Corrected by facility before end of inspection

Inspection of Upper Merion East and West sites as well as the Upper Providence site took place on June 13-14 2014

Exit interview conducted with facility representative

Prepared By:

JOHN LOPINTO, D V M

JOHN LOPINTO, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1008

Jun-14-2016

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jun-14-2016